

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1658	330/51.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/27 12:21
L2	495	330/51.ccls. and (bias biasing biased) near2 (current voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/27 12:22
L3	569	330/51.ccls. and (bias biasing biased) near4 (network current voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/27 12:22
L4	58	330/51.ccls. and (bias biasing biased) near4 (network current voltage) and (peak or voltage) adj2 (detect\$3 measure\$3 sense\$3 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/27 12:49
L5	11	330/51.ccls. and (bias biasing biased) adj (network current voltage) with (shut shutting shuts)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/27 12:27
L6	443	330/51.ccls. and (bias biasing biased) adj (network current voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/27 12:27
L7	78	330/51.ccls. and (bias biasing biased) near4 (network current voltage) near4 (shut shutt\$4 off down)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/27 12:49
L8	166	330/51.ccls. and (bias biasing biased) near4 (shut shutt\$4 off down)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/27 12:49
L9	0	8 and (peak or voltage) adj2 (detect\$3 measure\$3 sense\$3 monitor\$3) with programm\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/27 12:50
L10	0	8 and (peak or voltage) adj2 (detect\$3 measure\$3 sense\$3 monitor\$3) same programm\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/27 12:50
L11	0	8 and (peak or voltage) adj2 (detect\$3 measure\$3 sense\$3 monitor\$3) and programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/27 12:51
L12	10	8 and (peak or voltage) adj2 (detect\$3 measure\$3 sense\$3 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/27 12:52

EAST Search History

L13	6	RF with power with amplifier with bias with threshold with voltage programmable with peak adj detection.clm.	US-PGPUB	OR	ON	2007/04/27 12:54
L14	0	RF with power with amplifier with peak adj detection with monitor with signal with bias.clm.	US-PGPUB	OR	ON	2007/04/27 12:55
S1	22	programm\$4 near peak adj detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:42
S2	41697	((RF or (radio adj frequency))) near3 (amp amplif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 19:11
S3	63045	((peak adj detect\$3) (voltage adj peak) (threshold adj detect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 17:00
S4	391	S2 same S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 16:48
S5	0	S4 same programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 16:47
S6	0	S2 same S3 same programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 16:48
S7	786	((peak adj detect\$3) (voltage adj peak) (threshold adj detect\$3)) with programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 16:48
S8	0	S2 same S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 16:48
S9	17	S2 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 16:48
S10	1709	((RF (radio adj frequency))) near4 (amp amplif\$4) or (AGC (automatic adj1 gain adj control))) same (peak adj detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:57
S11	50	((RF (radio adj frequency))) near4 (amp amplif\$4) or (AGC (automatic adj1 gain adj control))) same (peak adj detect\$3) same programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 17:18

EAST Search History

S12	395	((RF (radio adj frequency)) near4 (amp amplif\$4) or (AGC (automatic adj1 gain adj control))) same ((threshold adj detect\$3) (voltage adj peak) (threshold adj voltage) (peak adj detect\$3)) same programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 17:31
S13	95	((RF (radio adj frequency)) near4 (amp amplif\$4) or (AGC (automatic adj1 gain adj control))) same (threshold voltage) near3 programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 17:41
S14	53020	rf same amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 17:41
S15	67	S14 same voltage adj peak	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 17:44
S16	4	S15 same protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 17:42
S17	0	S16 same programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 17:43
S18	1378	S14 same protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 17:42
S19	11	S18 same programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 17:46
S20	33	S14 same (detect\$3 monitor\$3 sens\$3 measur\$3) with output with (threshold predetermine predetermined select selected) adj1 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 17:47
S21	0	S20 same programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 17:46
S22	86	S14 same (detect\$3 monitor\$3 sens\$3 measur\$3) with voltage same programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 19:27
S23	146	S14 same programmable with (peak threshold voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:34

EAST Search History

S24	599	S14 same (detect\$3 monitor\$3 sens\$3 measur\$3) near3 voltage near3 output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:19
S25	0	S14 same (detect\$3 monitor\$3 sens\$3 measur\$3) near3 voltage near3 output with (threshold predetermined predetermine select selected predefined pre adj1 defined) with programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:21
S26	0	S14 same (detect\$3 monitor\$3 sens\$3 measur\$3) near3 voltage near3 output same (threshold predetermined predetermine select selected predefined pre adj1 defined) with programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:22
S27	1	S14 same (detect\$3 monitor\$3 sens\$3 measur\$3) near3 voltage near3 output same (threshold predetermined predetermine select selected predefined pre adj1 defined) same programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:23
S28	599	S14 same (detect\$3 monitor\$3 sens\$3 measur\$3) near3 voltage near3 output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:22
S29	0	S14 and (detect\$3 monitor\$3 sens\$3 measur\$3) near3 voltage near3 output near4 (threshold predetermined predetermine select selected predefined pre adj1 defined) near3 programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:24
S30	12	S14 and (detect\$3 monitor\$3 sens\$3 measur\$3) near3 voltage near3 output same (threshold predetermined predetermine select selected predefined pre adj1 defined) same programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:24
S31	19	S14 same programmable near4 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:52
S32	0	"767045".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:39
S33	0	"767045".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:39
S34	2388	denning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:41
S35	41	S34 and RF and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:41

EAST Search History

S36	1	S35 and peak	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:41
S37	3021	dening	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:41
S38	119	S37 and RF and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:41
S39	22	S38 and peak	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:41
S40	0	S39 and programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:42
S41	10	S37 and programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:42
S42	52	programm\$4 near3 peak adj detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:42
S43	30	S14 same programmable near6 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:56
S44	12	S14 same programmable near4 threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:58
S45	73505	(AGC (automatic adj1 gain adj control))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 18:58
S46	62	S45 same programmable near4 threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 19:10
S47	161866	(RF or power or (radio adj frequency)) near3 (amp amplif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 19:26

EAST Search History

S48	163282	(bias biasing biased) adj (current voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 19:34
S49	6879	S47 same S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 19:28
S50	476272	(detect\$3 monitor\$3 sens\$3 measur\$3) near4 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 19:27
S51	724	S47 same S48 same S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 20:07
S52	62	S47 same S48 same S50 same protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 19:29
S53	5665	(bias biasing biased) adj (current voltage) near5 off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 19:36
S54	215	S47 same S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 19:36
S55	23	S47 same S50 same S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 19:41
S56	6	S47 same S48 same S50 same programmable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/15 20:11

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	81745	((radio near3 frequency) rf) same (amp amplifier amplified)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 13:52
S2	83780	((radio near3 frequency) rf) same (amp amplifier amplified amplifying)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/22 18:12
S3	144	S2 same (voltage adj peak)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/22 17:39
S4	4	("3852669" "4041410" "4122400" "4353037").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/22 17:52
S5	15	("5179353" "5451901" "6208209").PN. OR ("6525611").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/22 17:57
S6	3	("4385400").URPN.	USPAT	OR	ON	2007/03/22 18:10
S7	953681	(shunt\$3 shut\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/22 18:11
S8	15650	S2 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/22 18:11
S9	5655	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) same (shunt\$3 shut\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/22 18:13
S10	203	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) same (shunt\$3 shut\$5) and mismatch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/22 20:00
S11	2	("5608353").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/22 19:25
S12	2	("5629648").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/22 19:25
S13	58	("5629648").URPN.	USPAT	OR	ON	2007/03/22 19:25
S14	3204	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) same (shunt\$3 shut\$5) and (ramp rc (low near pass) dela\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/22 20:03

EAST Search History

S15	1372	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) same (shunt\$3 shut\$5) same (ramp rc (low near pass) dela\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/22 20:04
S16	209	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) same (shunt\$3 shut\$5) with (ramp rc (low near pass) dela\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 14:49
S17	1883	((radio near3 frequency) rf) same (amp amplifier amplified) same (control controlling controllable) with ((resistor near2 capacitor) rc ramp delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 14:21
S18	546	((radio near3 frequency) rf) same (amp amplifier amplified) same (control controlling controllable) with ((resistor near2 capacitor) rc ramp delay) and (shunt\$3 shut\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 14:23
S19	54	((radio near3 frequency) rf) same (amp amplifier amplified) same (control controlling controllable) with ((resistor near2 capacitor) rc ramp delay (low near2 pass)) with (shunt\$3 shut\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 14:26
S20	10	("20020149480" "20020149481" "20020149482" "20020149483" "20020152044" "20020167405" "3735287" "4763076" "6094161" "6549064").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/23 14:28
S21	951	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) and (shunt\$3 shut\$5) with (ramp rc (low near pass) dela\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 14:53
S22	2818	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) and (shunt\$3 shut\$5) with (ramp rc (low near pass) dela\$4 time rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 14:54
S23	2818	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) and (shunt\$3 shut\$5) with (ramp rc (low near pass) dela\$4 time (time adj constant) rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 15:06
S24	1229	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) and (shunt\$3 shut\$5) with (ramp rc (low near pass) dela\$4 time (time adj constant) rate) and ((detect\$3 sense\$3 measure\$3 monitor\$3) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 15:08
S25	359	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) and (shunt\$3 shut\$5) with (ramp rc (low near pass) dela\$4 time (time adj constant) rate) and ((detect\$3 sense\$3 measure\$3 monitor\$3) with voltage) and (mismatch envelope)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 15:10
S26	372	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) and (shunt\$3 shut\$5) with (ramp rc (low near pass) dela\$4 time (time adj constant) rate) and ((detect\$3 sense\$3 measure\$3 monitor\$3) with voltage) and (mismatch envelope vswr (excessive adj voltage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 15:31

EAST Search History

S27	2818	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) and (shunt\$3 shut\$5) with (ramp rc (low near pass) dela\$4 time (time adj constant) rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 15:32
S28	1847	((radio near3 frequency) rf) with (amp amplifier amplified amplifying) and (shunt\$3 shut\$5) with (ramp rc (low near pass) dela\$4 time (time adj constant) rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 15:33
S29	59	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) same (((shunt\$3 shut\$5) with (transistor switch)) with (ramp rc (low near pass) dela\$4 time (time adj constant) rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 15:37
S30	19	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) same (((shunt\$3 shut\$5) near3 (transistor switch)) with (ramp rc (low near pass) dela\$4 time (time adj constant) rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 17:09
S31	7668	((shunt\$3 shut\$5) near3 (transistor switch)) with (ramp rc (low near pass) dela\$4 time (time adj constant) rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 16:08
S32	9505	((shunt\$3 shut\$5) near4 (transistor switch)) with (ramp rc (low near pass) dela\$4 time (time adj constant) rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 16:13
S33	5279	S32 same (control controlled controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 16:11
S34	1810	((shunt\$3 shut\$5) near3 (transistor switch)) with (rc (low near pass) dela\$4 (time adj constant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 16:15
S35	43	((shunt\$3 shut\$5) near3 (transistor switch)) with (rc (low near pass) dela\$4 (time adj constant)) and ((radio adj frequency) or rf) same (amp amplifier amplify)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 16:57
S36	1165	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) and ((shunt\$3 shut\$5) near4 (transistor switch)) and (rc (low near pass) dela\$4 (time adj constant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 17:11
S37	672	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) and ((shunt\$3 shut\$5) near4 (transistor switch)) and (rc (low near pass) dela\$4 (time adj constant)) with signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 17:51
S38	94	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) and ((shunt\$3 shut\$5) near4 (transistor switch)) with signal same (rc (low near pass) dela\$4 (time adj constant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 19:01

EAST Search History

S39	29	((radio near3 frequency) rf) same (amp amplifier amplified amplifying) same (rc (low near pass) dela\$4) with ramp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/23 19:10
S40	8815	((radio near3 frequency) rf) with (amp amplifier amplified amplifying) same (ramp rc (low near pass) dela\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/26 13:01
S41	1630	((radio near3 frequency) rf) near3 (amp amplifier amplified amplifying) with (ramp rc (low near pass) dela\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/26 13:02
S42	736	((radio near3 frequency) rf) near3 (amp amplifier amplified amplifying) with (ramp rc (low near pass) dela\$4) same (control controlling controlled controllable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/26 13:23
S43	471	((radio near3 frequency) rf) near3 (amp amplifier amplified amplifying) with (ramp rc (low near pass) dela\$4) with (control controlling controlled controllable controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/26 13:45